

# SAFETY DATA SHEET

Revision Date 05-Jun-2015 Version 1

# 1. IDENTIFICATION

**Product identifier** 

Product Name Yellow Traffic L/F, Regular Dry

Other means of identification

Product Code 10671

**SKU(s)** 10671, 10675

Recommended use of the chemical and restrictions on use
Recommended Use
Uses advised against
No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Van Sickle Paint Mfg. Co.

PO Box 82222 Lincoln, NE 68501 Phone: 402-476-6558 Fax: 402-476-6749

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

### 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Carcinogenicity                                  | Category 1A |
|--|-------------|
| Specific target organ toxicity (single exposure) | Category 1  |

# **Emergency Overview**

### Danger

#### Hazard statements

May cause cancer Causes damage to organs



Appearance No information available

Physical state liquid

Odor No information available

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

IF exposed: Call a POISON CENTER or doctor/physician

# **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

- · May be harmful if swallowed
- · Toxic to aquatic life with long lasting effects
- Toxic to aquatic life

Unknown acute toxicity

37.08% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name               | CAS No.    | Weight-% | Trade Secret |
|-----------------------------|------------|----------|--------------|
| Calcium carbonate           | 1317-65-3  | 15 - 40  | *            |
| Titanium dioxide            | 13463-67-7 | 1 - 5    | *            |
| Methanol                    | 67-56-1    | 1 - 5    | *            |
| Texanol                     | 25265-77-4 | 1 - 5    | *            |
| Crystalline Silica          | 14808-60-7 | 0.1 - 1  | *            |
| Heavy Paraffinic Distillate | 64742-54-7 | 0.1 - 1  | *            |
| Ammonium Hydroxide          | 1336-21-6  | 0.1 - 1  | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible materials**None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

|                   | -                         |                                      |  |
|-------------------|---------------------------|--------------------------------------|--|
| Chemical Name     | ACGIH TLV                 | OSHA PEL                             | NIOSH IDLH                               |
| Calcium carbonate | -                         | TWA: 15 mg/m³ total dust             | TWA: 10 mg/m <sup>3</sup> total dust     |
| 1317-65-3         |                           | TWA: 5 mg/m³ respirable fraction     | TWA: 5 mg/m <sup>3</sup> respirable dust |
|                   |                           | (vacated) TWA: 15 mg/m³ total dust   |  |
|                   |                           | (vacated) TWA: 5 mg/m³ respirable    |  |
|                   |                           | fraction                             |  |
| Titanium dioxide  | TWA: 10 mg/m <sup>3</sup> | TWA: 15 mg/m <sup>3</sup> total dust | IDLH: 5000 mg/m <sup>3</sup>             |
| 13463-67-7        | _                         | (vacated) TWA: 10 mg/m³ total dust   | -  |

| Methanol<br>67-56-1              | STEL: 250 ppm<br>TWA: 200 ppm<br>S*  | TWA: 200 ppm TWA: 260 mg/m³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m³ (vacated) S*  | IDLH: 6000 ppm<br>TWA: 200 ppm<br>TWA: 260 mg/m³<br>STEL: 250 ppm<br>STEL: 325 mg/m³ |
|----------------------------------|--------------------------------------|---|--|
| Crystalline Silica<br>14808-60-7 | TWA: 0.025 mg/m³ respirable fraction | (vacated) TWA: 0.1 mg/m³ respirable dust : (30)/(%SiO2 + 2) mg/m³ TWA total dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction | IDLH: 50 mg/m³ respirable dust<br>TWA: 0.05 mg/m³ respirable dust                    |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** No special technical protective measures are necessary.

**Skin and body protection** No special technical protective measures are necessary.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state liquid

AppearanceNo information availableOdorNo information availableColorNo information availableOdor thresholdNo information available

Property Values Remarks • Method

No information available

pH 9.6 pH min

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.38

Water solubility

Solubility in other solvents

No information available
No information available

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available

#### **Other Information**

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information available

Density 11.52 lbs/gal

Bulk density No information available

Percent solids by weight 60.7% Percent volatile by weight 3.9% Percent solids by volume 44.7% Actual VOC (lbs/gal) 0.4 Actual VOC (grams/liter) 53.2 EPA VOC (lbs/gal) 0.9 EPA VOC (grams/liter) 104.4 EPA VOC (lb/gal solids) 1

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to avoid**

Extremes of temperature and direct sunlight.

# **Incompatible materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

**Eye contact** No data available.

**Skin Contact** No data available.

**Ingestion** No data available.

| Chemical Name                  | Oral LD50           | Dermal LD50 | Inhalation LC50 |
|--------------------------------|---------------------|-------------|-----------------|
| Titanium dioxide<br>13463-67-7 | > 10000 mg/kg (Rat) | -           | -               |

| Methanol<br>67-56-1                       | = 6200 mg/kg (Rat) | = 15800 mg/kg(Rabbit) | = 22500 ppm (Rat) 8 h = 64000<br>ppm (Rat) 4 h |
|---|--------------------|-----------------------|--|
| Texanol<br>25265-77-4                     | = 3200 mg/kg (Rat) | > 15200 mg/kg (Rat)   | -  |
| Crystalline Silica<br>14808-60-7          | = 500 mg/kg(Rat)   | -                     | -  |
| Heavy Paraffinic Distillate<br>64742-54-7 | > 15 g/kg(Rat)     | -                     | -  |
| Ammonium Hydroxide<br>1336-21-6           | = 350 mg/kg(Rat)   | -                     | -  |

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

| Chemical Name                          | ACGIH | IARC     | NTP   | OSHA |
|--|-------|----------|-------|------|
| Titanium dioxide<br>13463-67-7         | -     | Group 2B | -     | Х    |
| Crystalline Silica<br>14808-60-7       | A2    | Group 1  | Known | Х    |
| Heavy Paraffinic Distillate 64742-54-7 | A2    | Group 1  | -     | Х    |

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Target Organ Effects Central nervous system, Eyes, Gastrointestinal tract (GI), lungs, Respiratory system, Skin.

**Aspiration hazard** No information available.

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg mg/l

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Toxic to aquatic life with long lasting effects

95.56% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants           | Fish                               | Crustacea                        |
|---------------|--------------------------------|------------------------------------|----------------------------------|
| Methanol      | -                              | 28200: 96 h Pimephales promelas    | -                                |
| 67-56-1       |                                | mg/L LC50 flow-through 100: 96 h   |                                  |
|               |                                | Pimephales promelas mg/L LC50      |                                  |
|               |                                | static 19500 - 20700: 96 h         |                                  |
|               |                                | Oncorhynchus mykiss mg/L LC50      |                                  |
|               |                                | flow-through 18 - 20: 96 h         |                                  |
|               |                                | Oncorhynchus mykiss mL/L LC50      |                                  |
|               |                                | static 13500 - 17600: 96 h Lepomis |                                  |
|               |                                | macrochirus mg/L LC50              |                                  |
|               |                                | flow-through                       |                                  |
| Texanol       | 18.4: 72 h Pseudokirchneriella | 30: 96 h Pimephales promelas mg/L  | 95: 96 h Daphnia magna mg/L LC50 |
| 25265-77-4    | subcapitata mg/L EC50          | LC50                               |                                  |

| Heavy Paraffinic Distillate<br>64742-54-7 | - | 5000: 96 h Oncorhynchus mykiss<br>mg/L LC50 | 1000: 48 h Daphnia magna mg/L<br>EC50 |
|---|---|---|---------------------------------------|
| Ammonium Hydroxide                        | - | 8.2: 96 h Pimephales promelas               | 0.66: 48 h water flea mg/L EC50       |
| 1336-21-6                                 |   | mg/L LC50                                   | 0.66: 48 h Daphnia pulex mg/L         |
|   |   | _   | EC50                                  |

#### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

| Chemical Name         | Partition coefficient |
|-----------------------|-----------------------|
| Methanol<br>67-56-1   | -0.77                 |
| Texanol<br>25265-77-4 | 3.47                  |

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

US EPA Waste Number U122 U154

|   | Chemical Name | RCRA | RCRA - Basis for Listing  | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---|---------------|------|---------------------------|------------------------|------------------------|
| ı | Methanol      | -    | Included in waste stream: | -                      | U154                   |
|   | 67-56-1       |      | F039                      |                        |                        |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name      | California Hazardous Waste Status |
|--------------------|-----------------------------------|
| Methanol           | Toxic                             |
| 67-56-1            | Ignitable                         |
| Ammonium Hydroxide | Toxic                             |
| 1336-21-6          | Corrosive                         |

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies

DSL/NDSL Complies \*

EINECS/ELINCS Does not comply \*

ENCS Does not comply \*
IECSC Complies \*
KECL Complies \*
PICCS Complies \*
AICS Complies \*

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name      | SARA 313 - Threshold Values % |  |
|--------------------|-------------------------------|--|
| Methanol - 67-56-1 | 1.0                           |  |

# SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name                   | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|---------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Ammonium Hydroxide<br>1336-21-6 | 1000 lb                        | -                      | -                         | Х                             |

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name      | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|--------------------|--------------------------|----------------|--------------------------|
| Methanol           | 5000 lb                  | -              | RQ 5000 lb final RQ      |
| 67-56-1            |                          |                | RQ 2270 kg final RQ      |
| Ammonium Hydroxide | 1000 lb                  | -              | RQ 1000 lb final RQ      |
| 1336-21-6          |                          |                | RQ 454 kg final RQ       |

#### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

| Chemical Name                   | California Proposition 65 |
|---------------------------------|---------------------------|
| Titanium dioxide - 13463-67-7   | Carcinogen                |
| Methanol - 67-56-1              | Developmental             |
| Crystalline Silica - 14808-60-7 | Carcinogen                |
| Formaldehyde - 50-00-0          | Carcinogen                |

#### U.S. State Right-to-Know Regulations

| Chemical Name New Jersey Massachusetts Pennsylvania |
|---|
|---|

<sup>\*</sup> This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

| Calcium carbonate<br>1317-65-3          | X | Х | X |
|---|---|---|---|
| Titanium dioxide<br>13463-67-7          | X | X | X |
| Methanol<br>67-56-1                     | X | X | X |
| Crystalline Silica<br>14808-60-7        | X | X | X |
| Calcium Resinate<br>9007-13-0           | X | - | - |
| Ammonium Hydroxide<br>1336-21-6         | X | X | X |
| Ethylene Glycol<br>107-21-1             | X | X | X |
| Formaldehyde<br>50-00-0                 | Х | X | Х |
| Ethylene Glycol Butyl Ether<br>111-76-2 | X | Х | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### Hazardous air pollutants (HAPS) content

LIST OF HAZARDOUS AIR POLLUTANTS SUBJECT TO THE PROVISIONS OF THE CLEAN AIR ACT, TITLE I SECTION 112 'National Emission Standards for Hazardous Air Pollutants':

| Chemical Name | Weight % of HAPS in Product | Pounds HAPS / Gal Product |
|---------------|-----------------------------|---------------------------|
| Methanol      | 2.01%                       | 0.23                      |
| 67-56-1       |                             |                           |

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and Chemical Properties -

HMIS Health hazards 2 \* Flammability 1 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend \*= Chronic Health Hazard

Revision Date 05-Jun-2015

**Revision Note** 

No information available

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

**End of Safety Data Sheet**