

Revision Date 12-May-2015

SAFETY DATA SHEET

Version 2

1. IDENTIFICATION

Product identifier Product Name

Semi-Transparent Red Tank Liner/Sealer

Other means of identification Product Code UN/ID no. SKU(s)

| Recommended use of the chen | nical and restrictions on use |
|-----------------------------|-------------------------------|
| Recommended Use | No information available. |
| Uses advised against | No information available |

12074

12074

UN1263

Details of the supplier of the safety data sheet

Manufacturer Address Van Sickle Paint Mfg. Co. PO Box 82222 Lincoln, NE 68501 Phone: 402-476-6558 Fax: 402-476-6749

Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Serious eye damage/eye irritation | Category 2 |
|--|------------|
| Skin sensitization | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Flammable liquids | Category 2 |

Emergency Overview

Danger

Hazard statements

Causes serious eye irritation May cause an allergic skin reaction May cause drowsiness or dizziness Highly flammable liquid and vapor



Appearance No information available

Physical state liquid

Odor No information available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Use explosion-proof electrical/ ventilating/ lighting/ equipment

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|------------------------------|------------|----------|--------------|
| Methyl Ethyl Ketone | 78-93-3 | 60 - 100 | * |
| Bis A, Epichlorohydrin Epoxy | 25068-38-6 | 0.1 - 1 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| General advice | If symptoms persist, call a physician. |
|----------------|---|
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician. Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Inhalation | Remove to fresh air. If symptoms persist, call a physician. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. |

| Ingestion | Immediate medical attention is not required. Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. |
|-------------------------------------|--|
| Self-protection of the first aider | Use personal protective equipment as required. |
| Most important symptoms and effec | ts, both acute and delayed |
| Symptoms | No information available. |
| Indication of any immediate medical | attention and special treatment needed |
| Note to physicians | Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Extremely flammable.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Use personal protective equipment as required. Avoid contact with eyes and skin. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
|-----------------------------------|--|
| Environmental precautions | |
| Environmental precautions | Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information. |
| Methods and material for containm | nent and cleaning up |
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains. Dam up. |

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Use with local exhaust ventilation. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

| | Keep container tightly closed. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. |
|------------------------|--|
| Incompatible materials | None known based on information supplied. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------|---------------|---------------------------------------|-----------------------------|
| Methyl Ethyl Ketone | STEL: 300 ppm | TWA: 200 ppm | IDLH: 3000 ppm |
| 78-93-3 | TWA: 200 ppm | TWA: 590 mg/m ³ | TWA: 200 ppm |
| | | (vacated) TWA: 200 ppm | TWA: 590 mg/m ³ |
| | | (vacated) TWA: 590 mg/m ³ | STEL: 300 ppm |
| | | (vacated) STEL: 300 ppm | STEL: 885 mg/m ³ |
| | | (vacated) STEL: 885 mg/m ³ | - |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

| Engineering Controls | Showers |
|----------------------|----------------------|
| | Eyewash stations |
| | Ventilation systems. |

Individual protection measures, such as personal protective equipment

| Eye/face protection | Tight sealing safety goggles. Face protection shield. |
|--------------------------------|---|
| Skin and body protection | No special technical protective measures are necessary. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| General Hygiene Considerations | When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance Color | liquid No information available No information available | Odor Odor threshold | No information available No information available |
|--|--|-------------------------|--|
| <u>Property</u> pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) | Values No information available No information available >= 79 °C / 174 °F -7 °C / 20 °F No information available No information available | <u>Remarks • Method</u> | |

| Flammability Limit in Air | |
|--|--|
| Upper flammability limit: | No information available |
| Lower flammability limit: | No information available |
| Vapor pressure | No information available |
| Vapor density | No information available |
| Specific Gravity | 0.91 |
| Water solubility | No information available |
| Solubility in other solvents | No information available |
| Partition coefficient | No information available |
| Autoignition temperature | No information available |
| Decomposition temperature | No information available |
| Kinematic viscosity | No information available |
| Dynamic viscosity | No information available |
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| | |
| Other Information | |
| | No information available |
| Softening point | No information available No information available |
| | |
| Softening point Molecular weight | No information available |
| Softening point Molecular weight VOC Content (%) | No information available No information available |
| Softening point Molecular weight VOC Content (%) Density | No information available No information available 7.55 lbs/gal No information available 27.7% |
| Softening point Molecular weight VOC Content (%) Density Bulk density Percent solids by weight Percent volatile by weight | No information available No information available 7.55 lbs/gal No information available 27.7% 72.3% |
| Softening point Molecular weight VOC Content (%) Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume | No information available No information available 7.55 lbs/gal No information available 27.7% 72.3% 18.7% |
| Softening point Molecular weight VOC Content (%) Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (lbs/gal) | No information available No information available 7.55 lbs/gal No information available 27.7% 72.3% 18.7% 5.5 |
| Softening point Molecular weight VOC Content (%) Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (lbs/gal) Actual VOC (grams/liter) | No information available No information available 7.55 lbs/gal No information available 27.7% 72.3% 18.7% 5.5 653.8 |
| Softening point Molecular weight VOC Content (%) Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (lbs/gal) Actual VOC (grams/liter) EPA VOC (lbs/gal) | No information available No information available 7.55 lbs/gal No information available 27.7% 72.3% 18.7% 5.5 653.8 5.5 |
| Softening point Molecular weight VOC Content (%) Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (lbs/gal) Actual VOC (grams/liter) | No information available No information available 7.55 lbs/gal No information available 27.7% 72.3% 18.7% 5.5 653.8 |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | No data available |
|---------------------|--------------------|
| Inhalation | No data available. |
| Eye contact | No data available. |

Skin Contact No data available.

Ingestion No data available.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|---|---|----------------------|
| Methyl Ethyl Ketone 78-93-3 | = 2483 mg/kg (Rat)= 2737 mg/kg (Rat) | = 5000 mg/kg (Rabbit)= 6480 mg/kg (Rabbit) | = 11700 ppm (Rat)4 h |
| Bis A,Epichlorohydrin Epoxy 25068-38-6 | = 11400 mg/kg (Rat) | - | - |

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization | No information available. |
|--------------------------|---|
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Chronic toxicity | Avoid repeated exposure. |
| Target Organ Effects | Central nervous system, Eyes, Respiratory system, Skin. |
| Aspiration hazard | No information available. |

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document $\,$ mg/l $\,$

12. ECOLOGICAL INFORMATION

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------------|----------------------|---------------------------------|--------------------------------|
| Methyl Ethyl Ketone | - | 3130 - 3320: 96 h Pimephales | 520: 48 h Daphnia magna mg/L |
| 78-93-3 | | promelas mg/L LC50 flow-through | EC50 5091: 48 h Daphnia magna |
| | | | mg/L EC50 4025 - 6440: 48 h |
| | | | Daphnia magna mg/L EC50 Static |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical Name | Partition coefficient |
|---------------------|-----------------------|
| Methyl Ethyl Ketone | 0.29 |
| 78-93-3 | |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

| Waste treatment methods | |
|-------------------------|---|
| Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| Contaminated packaging | Do not reuse container. |
| US EPA Waste Number | D001 U159 |

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------------|------|----------------------------|-----------------------------|------------------------|
| Methyl Ethyl Ketone | U159 | Included in waste streams: | 200.0 mg/L regulatory level | U159 |
| 78-93-3 | | F005, F039 | | |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|---------------------|-----------------------------------|
| Methyl Ethyl Ketone | Toxic |
| 78-93-3 | Ignitable |

14. TRANSPORT INFORMATION

| <u>DOT</u> UN/ID no. Proper shipping name Hazard Class | UN1263 Paint Class 3, Flammable Liquid |
|---|--|
| Packing Group Special Provisions Description Emergency Response Guide Number | II 149, B52, IB2, T4, TP1, TP8, TP28 UN1263, Paint, Class 3, Flammable Liquid, II 128 |
| <u>TDG</u> UN/ID no. Proper shipping name Hazard Class Packing Group Description | UN1263 Paint 3 II UN1263, Paint, 3, II |
| MEX UN/ID no. Proper shipping name Hazard Class Packing Group Description | UN1263 Paint 3 II UN1263, Paint, 3, II |
| ICAO (air) UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions Description | UN1263 Paint 3 II A3, A72 UN1263, Paint, 3, II |
| IATA UN/ID no. Proper shipping name Hazard Class Packing Group ERG Code Special Provisions Description | UN1263 Paint 3 II 3L A3, A72 UN1263, Paint, 3, II |
| <u>IMDG</u> UN/ID no. Proper shipping name Hazard Class Packing Group | UN1263 Paint 3 II |

| EmS-No. Special Provisions Description | F-E, S-E 163 UN1263, Paint, 3, II |
|---|---|
| <u>RID</u> UN/ID no. Proper shipping name Hazard Class Packing Group Classification code Description | UN1263 Paint 3 II F1 UN1263, Paint, 3, II |
| ADR UN/ID no. Proper shipping name Hazard Class Packing Group Classification code Tunnel restriction code Special Provisions Description Labels | UN1263 Paint 3 II F1 (D/E) 163, 640C, 650 UN1263, Paint, 3, II, (D/E) 3 |
| ADN Proper shipping name Hazard Class Packing Group Classification code Special Provisions Description Hazard label(s) Limited quantity (LQ) Ventilation | Paint 3 II F1 163, 640C, 650 UN1263, Paint, 3, II 3 5 L VE01 |

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|------------|
| TSCA | Complies |
| DSL/NDSL | Complies * |
| EINECS/ELINCS | Complies * |
| ENCS | Complies * |
| IECSC | Complies * |
| KECL | Complies * |
| PICCS | Complies * |
| AICS | Complies * |
| | |

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| SARA 311/312 Hazard Categories | |
|-----------------------------------|-----|
| Acute health hazard | Yes |
| Chronic Health Hazard | No |
| Fire hazard | Yes |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------------|--------------------------|----------------|--------------------------|
| Methyl Ethyl Ketone | 5000 lb | - | RQ 5000 lb final RQ |
| 78-93-3 | | | RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------------|------------|---------------|--------------|
| Methyl Ethyl Ketone | Х | Х | Х |
| 78-93-3 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Hazardous air pollutants (HAPS) content

This product contains no reportable Hazardous Air Pollutants

12-May-2015

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| <u>NFPA</u> | Health hazards 2 | Flammability 3 | Instability 0 | Physical and Chemical Properties - |
|-------------|------------------|----------------|--------------------|---------------------------------------|
| HMIS | Health hazards 2 | Flammability 3 | Physical hazards 0 | Personal protection X |

Revision Date Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet