

Revision date 08-Nov-2023

# SAFETY DATA SHEET

Version 2

1. IDENTIFICATION

| lide Talc Powder |
|------------------|
|                  |

Other means of identification Product Code SKU(s)

19000 None

Recommended use of the chemical and restrictions on useRecommended UseNo information available.Uses advised againstNo information available

#### Details of the supplier of the safety data sheet

# Manufacturer Address Van Sickle

1020 Albany Place SE Orange City, IA 51041 Phone: (712) 737-4993 Fax: (712) 737-4997

Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

**Classification** 

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Carcinogenicity                       |                       | Category 1A |                          |
|---------------------------------------|-----------------------|-------------|--------------------------|
|                                       | Emergency Overview    |             |                          |
| Warning                               |                       |             |                          |
| Hazard statements<br>May cause cancer |                       |             |                          |
|                                       |                       |             |                          |
| •                                     |                       |             |                          |
| Appearance No information available   | Physical state Powder | Odor        | No information available |

**Precautionary Statements - Prevention** Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### **Precautionary Statements - Storage** Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other information Unknown acute toxicity

98.5 % of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

| CAS No.    | Weight-%               | Trade secret   |
|------------|------------------------|--|
| 14807-96-6 | 60 - 100               | *  |
| 546-93-0   | 1 - 5                  | *  |
| 14808-60-7 | 0.1 - 1                | *  |
|            | 14807-96-6<br>546-93-0 | 14807-96-6         60 - 100           546-93-0         1 - 5 |

The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

#### Description of first aid measures

| Eye contact  | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |  |
|--|--|--|
| Skin Contact   | Wash skin with soap and water.   |  |
| Inhalation   | Remove to fresh air.   |  |
| Ingestion  | Clean mouth with water and drink afterwards plenty of water.   |  |
| Most important symptoms and effe   | cts, both acute and delayed  |  |
| Symptoms   | No information available.  |  |
| Indication of any immediate medical attention and special treatment needed |  |  |
| Note to physicians   | Treat symptomatically.   |  |
|  |  |  |

**5. FIRE-FIGHTING MEASURES** 

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures |   |  |  |
|---|---|--|--|
| Personal precautions  | Ensure adequate ventilation, especially in confined areas.  |  |  |
| Environmental precautions   |   |  |  |
| Environmental precautions   | See Section 12 for additional Ecological Information.   |  |  |
| Methods and material for containment and cleaning up                |   |  |  |
| Methods for containment   | Prevent further leakage or spillage if safe to do so.   |  |  |
| Methods for cleaning up   | Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. |  |  |
| 7. HANDLING AND STORAGE   |   |  |  |

#### Precautions for safe handling

 Advice on safe handling
 Handle in accordance with good industrial hygiene and safety practice.

 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

| Chemical name       | ACGIH TLV                                   | OSHA PEL                                      | NIOSH                                       |
|---------------------|---|---|---|
| Talc (powder)       | TWA: 2 mg/m <sup>3</sup> particulate matter | (vacated) TWA: 2 mg/m <sup>3</sup> respirable | IDLH: 1000 mg/m <sup>3</sup>                |
| 14807-96-6          | containing no asbestos and <1%              | dust <1% Crystalline silica,                  | TWA: 2 mg/m <sup>3</sup> containing no      |
|                     | crystalline silica, respirable              | containing no Asbestos                        | Asbestos and <1% Quartz                     |
|                     | particulate matter                          | TWA: 20 mppcf if 1% Quartz or                 | respirable dust                             |
|                     |   | more;use Quartz limit                         |   |
| Magnesium carbonate | No data available                           | -   | TWA: 10 mg/m <sup>3</sup> total dust        |
| 546-93-0            |   |   | TWA: 5 mg/m <sup>3</sup> respirable dust    |
| Crystalline Silica  | TWA: 0.025 mg/m <sup>3</sup> respirable     | TWA: 50 μg/m³ TWA: 50 μg/m³                   | IDLH: 50 mg/m <sup>3</sup> respirable dust  |
| 14808-60-7          | particulate matter                          | excludes construction work,                   | TWA: 0.05 mg/m <sup>3</sup> respirable dust |
|                     |   | agricultural operations, and                  |   |
|                     |   | exposures that result from the                |   |
|                     |   | processing of sorptive clays                  |   |
|                     |   | (vacated) TWA: 0.1 mg/m <sup>3</sup>          |   |
|                     |   | respirable dust                               |   |
|                     |   | : (250)/(%SiO2 + 5) mppcf TWA                 |   |
|                     |   | respirable fraction                           |   |
|                     |   | : (10)/(%SiO2 + 2) mg/m <sup>3</sup> TWA      |   |
|                     |   | respirable fraction                           |   |

NIOSH Immediately Dangerous to Life or Health

Other information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

# Appropriate engineering controls

# **Engineering Controls**

Showers Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

| Eye/face protection            | No special technical protective measures are necessary.   |
|--------------------------------|---|
| Skin and body protection       | No special technical protective measures are necessary.   |
| Respiratory protection         | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| General Hygiene Considerations | Handle in accordance with good industrial hygiene and safety practice.  |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

| Physical state<br>Appearance<br>Color   | Powder<br>No information available<br>No information available  | Odor<br>Odor threshold  | No information available<br>No information available |
|---|---|-------------------------|--|
| <u>Property</u><br>pH<br>Melting point / freezing point<br>Initial boiling point and boiling rang<br>Flash point<br>Evaporation rate<br>Flammability                                | <u>Values</u><br>No information available<br>No information available<br>geNo information available<br>Not applicable<br>No information available<br>No information available | <u>Remarks • Method</u> |  |
| Flammability Limit in Air<br>Upper flammability or explosive<br>limits  | No information available  |                         |  |
| Lower flammability or explosive<br>limits<br>Vapor pressure   | No information available<br>No information available  |                         |  |
| Relative vapor density<br>Specific gravity<br>Water solubility  | No information available<br>2.76<br>No information available  |                         |  |
| Solubility in other solvents<br>Partition coefficient<br>Autoignition temperature   | No information available<br>No information available<br>No information available  |                         |  |
| Decomposition temperature<br>Kinematic viscosity<br>Dynamic viscosity<br>Explosive properties   | No information available<br>No information available<br>No information available<br>No information available  |                         |  |
| Oxidizing properties  | No information available  |                         |  |
| Softening point<br>Molecular weight<br>Liquid Density<br>Bulk density<br>Percent solids by weight<br>Percent volatile by weight<br>Percent solids by volume<br>Actual VOC (Ibs/gal) | No information available<br>No information available<br>22.99 lbs/gal<br>No information available<br>100.0 %<br>0.0 %<br>100.0 %<br>0   |                         |  |

| Actual VOC (grams/liter) | 0                        |
|--------------------------|--------------------------|
| EPA VOC (lbs/gal)        | 0                        |
| EPA VOC (grams/liter)    | 0                        |
| EPA VOC (lb/gal solids)  | No information available |

# **10. STABILITY AND REACTIVITY**

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

None known based on information supplied.

#### Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

| Product Information | No data available  |
|---------------------|--------------------|
| Inhalation          | No data available. |
| Eye contact         | No data available. |
| Skin Contact        | No data available. |
| Ingestion           | No data available. |

#### Component Information

| Chemical name                    | Oral LD50            | Dermal LD50 | Inhalation LC50 |
|----------------------------------|----------------------|-------------|-----------------|
| Talc (powder)<br>14807-96-6      | = 55,000 mg/kg (Rat) | -           | -               |
| Crystalline Silica<br>14808-60-7 | > 22,500 mg/kg (Rat) | -           | -               |

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization<br>Germ cell mutagenicity<br>Carcinogenicity | No information available.<br>No information available.<br>No information available. |         |       |      |
|--|---|---------|-------|------|
| Chemical name  | ACGIH   | IARC    | NTP   | OSHA |
| Talc (powder)<br>14807-96-6                                | -   | Group 3 | -     | Х    |
| Crystalline Silica<br>14808-60-7                           | A2  | Group 1 | Known | Х    |

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

| IARC (International Agency for Rese<br>Group 1 - Carcinogenic to Humans<br>Group 3 - Not classifiable as a human<br>NTP (National Toxicology Program) | carcinogen   |
|---|--|
| Known - Known Carcinogen  |  |
| OSHA (Occupational Safety and Heat  | alth Administration of the US Department of Labor)             |
| X - Present   |  |
| Reproductive toxicity   | No information available.                                      |
| STOT - single exposure  | No information available.                                      |
| STOT - repeated exposure  | No information available.                                      |
| Target organ effects  | Central Vascular System (CVS), Eyes, Respiratory system, Skin. |
| Aspiration hazard   | No information available.                                      |

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical name | Algae/aquatic plants | Fish                            | Crustacea |
|---------------|----------------------|---------------------------------|-----------|
| Talc (powder) | -                    | 100: 96 h Brachydanio rerio g/L | -         |
| 14807-96-6    |                      | LC50 semi-static                |           |

# Persistence and degradability No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

| Disposal methods       |   |  |  |  |
|------------------------|---|--|--|--|
| Disposal of wastes     | Disposal should be in accordance with applicable regional, national and local laws and regulations. |  |  |  |
| Contaminated packaging | Do not reuse container.   |  |  |  |
|                        | 14. TRANSPORT INFORMATION   |  |  |  |
|                        |   |  |  |  |
| DOT                    | Not regulated   |  |  |  |
| TDG                    | Not regulated   |  |  |  |
| <u>MEX</u>             | Not regulated   |  |  |  |
| ICAO (air)             | Not regulated   |  |  |  |
| <u>IATA</u>            | Not regulated   |  |  |  |
| IMDG                   | Not regulated   |  |  |  |
| RID                    | Not regulated   |  |  |  |
| ADR                    | Not regulated   |  |  |  |

#### ADN

Not regulated

# **15. REGULATORY INFORMATION**

| <b>International</b> | Inventories |  |
|----------------------|-------------|--|
| TSCA                 |             |  |
| DSL/NDSL             |             |  |

Complies Complies

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| SARA 311/312 Hazard Categories    |     |
|-----------------------------------|-----|
| Acute health hazard               | Yes |
| Chronic Health Hazard             | Yes |
| Fire hazard                       | Yes |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

# US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

| Chemical name                   | California Proposition 65 |
|---------------------------------|---------------------------|
| Crystalline Silica - 14808-60-7 | Carcinogen                |

# U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

08-Nov-2023

| Chemical name       | New Jersey | Massachusetts |  |
|---------------------|------------|---------------|--|
| Talc (powder)       | Х          | Х             |  |
| 14807-96-6          |            |               |  |
| Magnesium carbonate | Х          | Х             |  |
| 546-93-0            |            |               |  |
| Crystalline Silica  | Х          | Х             |  |
| 14808-60-7          |            |               |  |

| Chemical name | Pennsylvania |
|---------------|--------------|
| Talc (powder) | Х            |
| 14807-96-6    |              |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| NFPA                    | Health hazards | 1       | Flammability  | 0 |
|-------------------------|----------------|---------|---------------|---|
| HMIS                    | Health hazards | 1 *     | Flammability  | 0 |
| Chronic Hazard Star Leg | gend *=        | Chronic | Health Hazard |   |

Instability 0 Physical hazards 0 Special hazards - Personal protection X

Revision date Revision Note No information available End of Safety Data Sheet