

SAFETY DATA SHEET

Revision Date 12-May-2015

1. IDENTIFICATION

| Product identifier | |
|--------------------|-------------------|
| Product Name | Flat Midtone Base |

Other means of identification **Product Code** 81641 SKU(s) 81641, 81644

Recommended use of the chemical and restrictions on use **Recommended Use** No information available. No information available Uses advised against

Details of the supplier of the safety data sheet

Manufacturer Address

Van Sickle Paint Mfg. Co. PO Box 82222 Lincoln, NE 68501 Phone: 402-476-6558 Fax: 402-476-6749

Emergency telephone number **Emergency Telephone**

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity Category 1A **Emergency Overview** Danger Hazard statements May cause cancer **Appearance** No information available Physical state liquid Odor No information available **Precautionary Statements - Prevention** Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Version 2

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information Unknown acute toxicity

27.75% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-----------------------------|------------|----------|--------------|
| Kaolin | 1332-58-7 | 10 - 30 | * |
| Calcium carbonate | 1317-65-3 | 7 - 13 | * |
| Titanium dioxide | 13463-67-7 | 5 - 10 | * |
| Ethylene Glycol | 107-21-1 | 1 - 5 | * |
| Texanol | 25265-77-4 | 1 - 5 | * |
| Heavy Paraffinic Distillate | 64742-54-7 | 0.1 - 1 | * |
| Crystalline Silica | 14808-60-7 | 0.1 - 1 | * |
| Ammonia (anhydrous) | 7664-41-7 | 0.1 - 1 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. | | | |
|--|--|--|--|--|
| Skin Contact | Wash skin with soap and water. | | | |
| Inhalation | Remove to fresh air. | | | |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. | | | |
| Most important symptoms and effects, both acute and delayed | | | | |
| Symptoms No information available. | | | | |
| Indication of any immediate medical attention and special treatment needed | | | | |
| Note to physicians | Treat symptomatically. | | | |
| 5. FIRE-FIGHTING MEASURES | | | | |

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions | Ensure adequate ventilation, especially in confined areas. | | | |
|--|--|--|--|--|
| Environmental precautions | | | | |
| Environmental precautions | See Section 12 for additional ecological information. | | | |
| Methods and material for containment and cleaning up | | | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | | | |
| Methods for cleaning up | Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. | | | |
| 7. HANDLING AND STORAGE | | | | |

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------------|--|---|---|
| Kaolin 1332-58-7 | TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| Calcium carbonate 1317-65-3 | - | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| Titanium dioxide 13463-67-7 | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust | IDLH: 5000 mg/m ³ |
| Ethylene Glycol 107-21-1 | Ceiling: 100 mg/m ³ aerosol only | (vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m ³ | - |
| Crystalline Silica 14808-60-7 | TWA: 0.025 mg/m ³ respirable fraction | (vacated) TWA: 0.1 mg/m³ respirable dust : (30)/(%SiO2 + 2) mg/m³ TWA total dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction | IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust |

| Ammonia (anhydrous) | STEL: 35 ppm | TWA: 50 ppm | IDLH: 300 ppm | |
|---------------------------------|---|---|----------------------------|--|
| 7664-41-7 | TWA: 25 ppm | TWA: 35 mg/m ³ | TWA: 25 ppm | |
| | | (vacated) STEL: 35 ppm | TWA: 18 mg/m ³ | |
| | | (vacated) STEL: 27 mg/m ³ | STEL: 35 ppm | |
| | | | STEL: 27 mg/m ³ | |
| NIOSH IDLH Immediately Danger | rous to Life or Health | | | |
| Other Information | Vacated limits revoked by (11th Cir., 1992). | Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). | | |
| Appropriate engineering control | <u>s</u> | | | |
| Engineering Controls | Showers | | | |
| Lingineering controls | | | | |
| | Eyewash stations | | | |
| | Ventilation systems. | | | |
| Individual protection measures, | such as personal protective | <u>equipment</u> | | |
| Eye/face protection | No special technical prote | ctive measures are necessary. | | |
| | | | | |
| Skin and body protection | No special technical protective measures are necessary. | | | |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. | | | |
| General Hygiene Considerations | Handle in accordance with good industrial hygiene and safety practice. | | | |
| | | | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

L

| Physical state Appearance Color | liquid No information available No information available | Odor Odor threshold | No information available No information available |
|---|--|-------------------------|--|
| <u>Property</u> pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: | Values $9.1-10$ No information available>= 26 °C / 79 °F> 94 °C / > 201 °FNo information availableNo information availableNo information availableNo information availableNo information availableNo information available | <u>Remarks • Method</u> | |
| Vapor pressure | No information available | | |
| Vapor density | No information available | | |
| Specific Gravity Water solubility | 1.32 No information available | | |
| Solubility in other solvents | No information available | | |
| Partition coefficient | No information available | | |
| Autoignition temperature | No information available | | |
| Decomposition temperature | No information available | | |
| Kinematic viscosity Dynamic viscosity | No information available No information available | | |
| Explosive properties | No information available | | |
| Oxidizing properties | No information available | | |
| Other Information | | | |

| Softening point | No information available |
|----------------------------|--------------------------|
| Molecular weight | No information available |
| VOC Content (%) | No information available |
| Density | 11.04 lbs/gal |
| Bulk density | No information available |
| Percent solids by weight | 47.8% |
| Percent volatile by weight | 2.6% |
| Percent solids by volume | 31.7% |
| Actual VOC (Ibs/gal) | 0.3 |
| Actual VOC (grams/liter) | 33.8 |
| EPA VOC (lbs/gal) | 0.8 |
| EPA VOC (grams/liter) | 96.6 |
| EPA VOC (lb/gal solids) | 0.9 |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | No data available |
|---------------------|--------------------|
| Inhalation | No data available. |
| Eye contact | No data available. |
| Skin Contact | No data available. |
| Ingestion | No data available. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|---------------------|---|---------------------|
| Titanium dioxide 13463-67-7 | > 10000 mg/kg (Rat) | - | - |
| Ethylene Glycol 107-21-1 | = 4700 mg/kg (Rat) | = 10600 mg/kg (Rat)= 9530 µL/kg (Rabbit) | - |
| Texanol 25265-77-4 | = 3200 mg/kg (Rat) | > 15200 mg/kg (Rat) | - |
| Heavy Paraffinic Distillate 64742-54-7 | > 15 g/kg (Rat) | - | - |
| Crystalline Silica 14808-60-7 | = 500 mg/kg(Rat) | - | - |
| Ammonia (anhydrous) 7664-41-7 | = 350 mg/kg (Rat) | - | = 2000 ppm (Rat)4 h |

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization Germ cell mutagenicity Carcinogenicity | No informatio No informatio No informatio | on available. | | |
|--|--|---------------|----------|------|
| Chemical Name | ACGIH | IARC | NTP | OSHA |
| Titanium dioxide 13463-67-7 | - | Group 2B | - | Х |
| Heavy Paraffinic Distillate 64742-54-7 | A2 | Group 1 | - | Х |
| Crystalline Silica 14808-60-7 | A2 | Group 1 | Known | Х |
| X - Present Reproductive toxicity STOT - single exposure | inogenic to Humans as a human carcinogen gy Program) nen ifety and Health Administra No informatio No informatio | on available. | f Labor) | |
| STOT - repeated exposur Target Organ Effects Aspiration hazard | | | | |

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

36.72% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---|--|---|---------------------------------------|
| Ethylene Glycol 107-21-1 | 6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 41000: 96 h Oncorhynchus mykiss mg/L LC50 14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static | |
| Texanol 25265-77-4 | 18.4: 72 h Pseudokirchneriella subcapitata mg/L EC50 | 30: 96 h Pimephales promelas mg/L LC50 | 95: 96 h Daphnia magna mg/L LC50 |
| Heavy Paraffinic Distillate 64742-54-7 | - | 5000: 96 h Oncorhynchus mykiss mg/L LC50 | 1000: 48 h Daphnia magna mg/L EC50 |
| Ammonia (anhydrous) 7664-41-7 | - | 0.44: 96 h Cyprinus carpio mg/L LC50 0.26 - 4.6: 96 h Lepomis macrochirus mg/L LC50 1.17: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.73 - 2.35: 96 h Pimephales promelas mg/L LC50 5.9: 96 h Pimephales promelas mg/L LC50 static 1.5: 96 h Poecilia reticulata mg/L LC50 1.19: 96 h Poecilia reticulata mg/L LC50 static | 25.4: 48 h Daphnia magna mg/L LC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical Name | Partition coefficient |
|----------------------------------|-----------------------|
| Ethylene Glycol 107-21-1 | -1.93 |
| Texanol 25265-77-4 | 3.47 |
| Ammonia (anhydrous) 7664-41-7 | -1.14 |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

| Waste treatment methods | |
|-------------------------|---|
| Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| Contaminated packaging | Do not reuse container. |

14. TRANSPORT INFORMATION

DOT

Not regulated

| 15. REGUL | ATORY | INFORMATION |
|-----------|-------|-------------|
| | | |

| International Inventories | |
|---------------------------|-------------------|
| TSCA | Complies |
| DSL/NDSL | Complies * |
| EINECS/ELINCS | Does not comply ' |
| ENCS | Does not comply ' |
| IECSC | Complies * |
| KECL | Complies * |
| PICCS | Complies * |
| AICS | Complies * |

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|----------------------------|-------------------------------|
| Ethylene Glycol - 107-21-1 | 1.0 |

SARA 311/312 Hazard Categories

| Acute health hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Ammonia (anhydrous) 7664-41-7 | 100 lb | - | - | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------------|--------------------------|----------------|--------------------------|
| Ethylene Glycol | 5000 lb | - | RQ 5000 lb final RQ |
| 107-21-1 | | | RQ 2270 kg final RQ |
| Ammonia (anhydrous) | 100 lb | 100 lb | RQ 100 lb final RQ |
| 7664-41-7 | | | RQ 45.4 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|---------------------------------|---------------------------|
| Titanium dioxide - 13463-67-7 | Carcinogen |
| Crystalline Silica - 14808-60-7 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------|------------|---------------|--------------|
| Kaolin 1332-58-7 | X | X | X |
| Calcium carbonate 1317-65-3 | Х | Х | Х |
| Titanium dioxide 13463-67-7 | Х | X | Х |
| Ethylene Glycol 107-21-1 | Х | X | Х |
| Crystalline Silica 14808-60-7 | Х | X | Х |
| Ammonia (anhydrous) 7664-41-7 | Х | X | Х |
| Ammonium Hydroxide 1336-21-6 | Х | X | Х |
| Magnesium nitrate 10377-60-3 | Х | X | Х |

EPA Pesticide Registration Number Not applicable

Hazardous air pollutants (HAPS) content

LIST OF HAZARDOUS AIR POLLUTANTS SUBJECT TO THE PROVISIONS OF THE CLEAN AIR ACT, TITLE I SECTION 112 'National Emission Standards for Hazardous Air Pollutants':

| Chemical Name | Weight % of HAPS in Product | Pounds HAPS / Gal Product |
|-----------------------------|-----------------------------|---------------------------|
| Ethylene Glycol 107-21-1 | 1.39% | 0.15 |

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| NFPA | Health hazards 1 | Flammability 1 | Instability 0 | Physical and Chemical Properties - |
|---|---|---|---|--|
| HMIS | Health hazards 1* | Flammability 1 | Physical hazards 0 | Personal protection X |
| Chronic Hazard Star Le | egend *=Chroni | c Health Hazard | | |
| date of its publication. transportation, dispose relates only to the spec | led in this Safety Data S The information given is al and release and is not cific material designated | heet is correct to the be s designed only as a gu to be considered a wa l and may not be valid f | est of our knowledge, infor uidance for safe handling, u rranty or quality specificat for such material used in ormation may yary based u | use, processing, storage, ion. The information ombination with any other |

materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet