

# SAFETY DATA SHEET

Revision Date 12-May-2015 Version 2

### 1. IDENTIFICATION

**Product identifier** 

Product Name Hi Hide White Eggshell

Other means of identification

 Product Code
 84024

 SKU(s)
 84021, 84024

Recommended use of the chemical and restrictions on use
Recommended Use
Uses advised against
No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** Van Sickle Paint Mfg. Co. PO Box 82222

Lincoln, NE 68501 Phone: 402-476-6558 Fax: 402-476-6749

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

### 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity Category 1A

#### **Emergency Overview**

#### Danger

#### Hazard statements

May cause cancer



Appearance No information available

Physical state liquid

**Odor** No information available

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Revision Date 12-May-2015

\_\_\_\_\_

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other Information

Unknown acute toxicity 1.51% of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name               | CAS No.    | Weight-% | Trade Secret |
|-----------------------------|------------|----------|--------------|
| Titanium dioxide            | 13463-67-7 | 10 - 30  | *            |
| Crystalline Silica          | 14808-60-7 | 1 - 5    | *            |
| Ethylene Glycol             | 107-21-1   | 1 - 5    | *            |
| Texanol                     | 25265-77-4 | 1 - 5    | *            |
| Heavy Paraffinic Distillate | 64742-54-7 | 0.1 - 1  | *            |
| Sodium nitrite              | 7632-00-0  | 0.1 - 1  | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Revision Date 12-May-2015

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible materials**None known based on information supplied.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure Guidelines

| Chemical Name      | ACGIH TLV                       | OSHA PEL                                       | NIOSH IDLH                                 |
|--------------------|---------------------------------|--|--|
| Titanium dioxide   | TWA: 10 mg/m <sup>3</sup>       | TWA: 15 mg/m³ total dust                       | IDLH: 5000 mg/m <sup>3</sup>               |
| 13463-67-7         |                                 | (vacated) TWA: 10 mg/m <sup>3</sup> total dust |  |
| Crystalline Silica | TWA: 0.025 mg/m³ respirable     | (vacated) TWA: 0.1 mg/m <sup>3</sup>           | IDLH: 50 mg/m <sup>3</sup> respirable dust |
| 14808-60-7         | fraction                        | respirable dust                                | TWA: 0.05 mg/m³ respirable dust            |
|                    |                                 | : (30)/(%SiO2 + 2) mg/m <sup>3</sup> TWA       |  |
|                    |                                 | total dust                                     |  |
|                    |                                 | : (250)/(%SiO2 + 5) mppcf TWA                  |  |
|                    |                                 | respirable fraction                            |  |
|                    |                                 | : (10)/(%SiO2 + 2) mg/m³ TWA                   |  |
|                    |                                 | respirable fraction                            |  |
| Ethylene Glycol    | Ceiling: 100 mg/m³ aerosol only | (vacated) Ceiling: 50 ppm                      | -  |
| 107-21-1           |                                 | (vacated) Ceiling: 125 mg/m <sup>3</sup>       |  |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** No special technical protective measures are necessary.

**Skin and body protection**No special technical protective measures are necessary.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state liquid

AppearanceNo information availableOdorNo information availableColorNo information availableOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting point/freezing point No information available
No information available
>= 26 °C / 79 °F
Flash point 94 °C / 201 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.27

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available Oxidizing properties No information available

#### **Other Information**

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information available

**Density** 10.59 lbs/gal

Bulk density No information available

Percent solids by weight 45.7%
Percent volatile by weight 3.6%
Percent solids by volume 32.7%
Actual VOC (lbs/gal) 0.4
Actual VOC (grams/liter) 46.1
EPA VOC (lbs/gal) 1
EPA VOC (grams/liter) 124.3
EPA VOC (lb/gal solids) 1.2

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

\_\_\_\_\_

# **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to avoid**

Extremes of temperature and direct sunlight.

#### Incompatible materials

None known based on information supplied.

### **Hazardous Decomposition Products**

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

Eye contact No data available.

**Skin Contact** No data available.

**Ingestion** No data available.

| Chemical Name                             | Oral LD50           | Dermal LD50                                  | Inhalation LC50      |
|---|---------------------|--|----------------------|
| Titanium dioxide<br>13463-67-7            | > 10000 mg/kg (Rat) | -  | -                    |
| Crystalline Silica<br>14808-60-7          | = 500 mg/kg (Rat)   | -  | -                    |
| Ethylene Glycol<br>107-21-1               | = 4700 mg/kg (Rat)  | = 10600 mg/kg (Rat) = 9530 μL/kg<br>(Rabbit) | -                    |
| Texanol<br>25265-77-4                     | = 3200 mg/kg (Rat)  | > 15200 mg/kg (Rat)                          | -                    |
| Heavy Paraffinic Distillate<br>64742-54-7 | > 15 g/kg ( Rat )   | -  | -                    |
| Sodium nitrite<br>7632-00-0               | = 85 mg/kg ( Rat )  | -  | = 5.5 mg/L (Rat) 4 h |

### Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

| Carcinogenicity                           | NO IIIIOIIIIau | on available. |       |      |
|---|----------------|---------------|-------|------|
| Chemical Name                             | ACGIH          | IARC          | NTP   | OSHA |
| Titanium dioxide<br>13463-67-7            | -              | Group 2B      | -     | Х    |
| Crystalline Silica<br>14808-60-7          | A2             | Group 1       | Known | X    |
| Heavy Paraffinic Distillate<br>64742-54-7 | A2             | Group 1       | -     | Х    |
| Sodium nitrite<br>7632-00-0               | -              | Group 2A      | -     | X    |

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

\_\_\_\_\_

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not classifiable as a human carcinogen

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Target Organ Effects Central nervous system, Eyes, lungs, Respiratory system, Skin.

**Aspiration hazard** No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

20.12% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name               | Algae/aquatic plants                                  | Fish  | Crustacea                              |
|-----------------------------|---|---|--|
| Ethylene Glycol<br>107-21-1 | 6500 - 13000: 96 h<br>Pseudokirchneriella subcapitata | 41000: 96 h Oncorhynchus mykiss<br>mg/L LC50 14 - 18: 96 h  | 46300: 48 h Daphnia magna mg/L<br>EC50 |
|                             | mg/L EC50   | Oncorhynchus mykiss mL/L LC50                               |  |
|                             |   | static 27540: 96 h Lepomis                                  |  |
|                             |   | macrochirus mg/L LC50 static                                |  |
|                             |   | 40761: 96 h Oncorhynchus mykiss                             |  |
|                             |   | mg/L LC50 static 40000 - 60000: 96                          |  |
|                             |   | h Pimephales promelas mg/L LC50                             |  |
|                             |   | static 16000: 96 h Poecilia reticulata<br>mg/L LC50 static  |  |
| Texanol                     | 18.4: 72 h Pseudokirchneriella                        | 30: 96 h Pimephales promelas mg/L                           | 05: 06 h Donhaid magan mg/L L CEC      |
| 25265-77-4                  | subcapitata mg/L EC50                                 | LC50  | 95. 96 H Daphilla magna mg/L LC50<br>  |
| Heavy Paraffinic Distillate | -   | 5000: 96 h Oncorhynchus mykiss                              | 1000: 48 h Daphnia magna mg/L          |
| 64742-54-7                  |   | mg/L LC50   | EC50                                   |
| Sodium nitrite              | -   | 0.19: 96 h Oncorhynchus mykiss                              | -                                      |
| 7632-00-0                   |   | mg/L LC50 flow-through 0.092 -                              |  |
|                             |   | 0.13: 96 h Oncorhynchus mykiss                              |  |
|                             |   | mg/L LC50 flow-through 0.4 - 0.6:                           |  |
|                             |   | 96 h Oncorhynchus mykiss mg/L                               |  |
|                             |   | LC50 semi-static 0.65 - 1: 96 h                             |  |
|                             |   | Oncorhynchus mykiss mg/L LC50                               |  |
|                             |   | static 2.3: 96 h Pimephales promelas mg/L LC50 flow-through |  |
|                             |   | 20: 96 h Pimephales promelas mg/L                           |  |
|                             |   | LC50 static   |  |

### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

| Chemical Name               | Partition coefficient |
|-----------------------------|-----------------------|
| Ethylene Glycol<br>107-21-1 | -1.93                 |
| Texanol<br>25265-77-4       | 3.47                  |
| Sodium nitrite<br>7632-00-0 | -3.7                  |

Other adverse effects

No information available

Revision Date 12-May-2015

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name  | California Hazardous Waste Status |
|----------------|-----------------------------------|
| Sodium nitrite | Toxic                             |
| 7632-00-0      | Ignitable                         |
|                | Reactive                          |

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies Complies ' **DSL/NDSL** Does not comply \* **EINECS/ELINCS ENCS** Does not comply \* Complies \* **IECSC** Complies \* **KECL** Complies \* **PICCS AICS** Complies \*

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|---------------|-------------------------------|
|---------------|-------------------------------|

<sup>\*</sup> This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

| Ethylene Glycol - 107-21-1 | 1.0 |
|----------------------------|-----|

### SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name               | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|-----------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium nitrite<br>7632-00-0 | 100 lb                         | -                      | -                         | Х                             |

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name               | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ)                   |
|-----------------------------|--------------------------|----------------|--|
| Ethylene Glycol<br>107-21-1 | 5000 lb                  | -              | RQ 5000 lb final RQ<br>RQ 2270 kg final RQ |
| Sodium nitrite<br>7632-00-0 | 100 lb                   | -              | RQ 100 lb final RQ<br>RQ 45.4 kg final RQ  |

### **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals

| Chemical Name                   | California Proposition 65 |
|---------------------------------|---------------------------|
| Titanium dioxide - 13463-67-7   | Carcinogen                |
| Crystalline Silica - 14808-60-7 | Carcinogen                |
| Carbon Black - 1333-86-4        | Carcinogen                |

### U.S. State Right-to-Know Regulations

| Chemical Name                    | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------|------------|---------------|--------------|
| Titanium dioxide<br>13463-67-7   | Х          | X             | X            |
| Crystalline Silica<br>14808-60-7 | Х          | X             | X            |
| Ethylene Glycol<br>107-21-1      | Х          | X             | X            |
| Propylene Glycol<br>57-55-6      | Х          | -             | X            |
| Carbon Black<br>1333-86-4        | Х          | X             | X            |

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

# Hazardous air pollutants (HAPS) content

LIST OF HAZARDOUS AIR POLLUTANTS SUBJECT TO THE PROVISIONS OF THE CLEAN AIR ACT, TITLE I SECTION 112 'National Emission Standards for Hazardous Air Pollutants':

| Chemical Name   | Weight % of HAPS in Product | Pounds HAPS / Gal Product |
|-----------------|-----------------------------|---------------------------|
| Ethylene Glycol | 2.33%                       | 0.25                      |
| 107-21-1        |                             |                           |

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and Chemical

Properties -

Health hazards 2 \* Flammability 1 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend \*= Chronic Health Hazard

Revision Date 12-May-2015

**Revision Note** 

No information available

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

**End of Safety Data Sheet** 

\_\_\_\_