

SAFETY DATA SHEET

Revision Date 13-May-2015

1. IDENTIFICATION

| Product identifier | |
|--------------------|------------------|
| Product Name | Satin Bright Red |

Other means of identification **Product Code** 90475 SKU(s) 90471, 90475

Recommended use of the chemical and restrictions on use **Recommended Use** No information available. No information available Uses advised against

Details of the supplier of the safety data sheet

Manufacturer Address

Van Sickle Paint Mfg. Co. PO Box 82222 Lincoln, NE 68501 Phone: 402-476-6558 Fax: 402-476-6749

Emergency telephone number **Emergency Telephone**

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity Category 1A **Emergency Overview** Danger Hazard statements May cause cancer **Appearance** No information available Physical state liquid Odor No information available **Precautionary Statements - Prevention** Obtain special instructions before use Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Version 1

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information Unknown acute toxicity

24.84% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-----------------------------|------------|----------|--------------|
| Calcium carbonate | 1317-65-3 | 10 - 30 | * |
| Ethylene Glycol | 107-21-1 | 1 - 5 | * |
| Texanol | 25265-77-4 | 1 - 5 | * |
| Heavy Paraffinic Distillate | 64742-54-7 | 0.1 - 1 | * |
| Crystalline Silica | 14808-60-7 | 0.1 - 1 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. | |
|----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|--|
| Skin Contact | Wash skin with soap and water. | |
| Inhalation | Remove to fresh air. | |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. | |
| Most important symptoms and effects, both acute and delayed | | |
| Symptoms | No information available. | |
| Indication of any immediate medical attention and special treatment needed | | |

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Ensure adequate ventilation, especially in confined areas. | |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Environmental precautions | | |
| Environmental precautions | See Section 12 for additional ecological information. | |
| Methods and material for containme | ent and cleaning up_ | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | |
| Methods for cleaning up | Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. | |
| 7. HANDLING AND STORAGE | | |
| Precautions for safe handling | | |

Advice on safe handlingHandle in accordance with good industrial hygiene and safety practice.Conditions for safe storage, including any incompatibilitiesStorage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place.Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------|---------------------------------------------|------------------------------------------------|---------------------------------------------|
| Calcium carbonate | - | TWA: 15 mg/m ³ total dust | TWA: 10 mg/m ³ total dust |
| 1317-65-3 | | TWA: 5 mg/m ³ respirable fraction | TWA: 5 mg/m ³ respirable dust |
| | | (vacated) TWA: 15 mg/m ³ total dust | |
| | | (vacated) TWA: 5 mg/m ³ respirable | |
| | | fraction | |
| Ethylene Glycol | Ceiling: 100 mg/m ³ aerosol only | (vacated) Ceiling: 50 ppm | - |
| 107-21-1 | | (vacated) Ceiling: 125 mg/m ³ | |
| Crystalline Silica | TWA: 0.025 mg/m ³ respirable | (vacated) TWA: 0.1 mg/m ³ | IDLH: 50 mg/m ³ respirable dust |
| 14808-60-7 | fraction | respirable dust | TWA: 0.05 mg/m ³ respirable dust |
| | | : (30)/(%SiO2 + 2) mg/m ³ TWA | |
| | | total dust | |
| | | : (250)/(%SiO2 + 5) mppcf TWA | |
| | | respirable fraction | |
| | | : (10)/(%SiO2 + 2) mg/m ³ TWA | |
| | | respirable fraction | |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

| Eye/face protection | No special technical protective measures are necessary. |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin and body protection | No special technical protective measures are necessary. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| General Hygiene Considerations | Handle in accordance with good industrial hygiene and safety practice. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance Color | liquid No information available No information available | Odor Odor threshold | No information available No information available |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------|
| Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties | Values $9.5-10.0$ No information available>= 100 °C / 212 °F> 94 °C / > 201 °FNo information availableNo information | <u>Remarks • Method</u> | |
| Other Information | | | |
| Softening point Molecular weight VOC Content (%) Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (lbs/gal) Actual VOC (grams/liter) EPA VOC (lbs/gal) EPA VOC (grams/liter) EPA VOC (lb/gal solids) | No information available No information available No information available 10.40 lbs/gal No information available 47.4% 4.8% 34.8% 0.5 60.1 1.2 148.4 1.4 | | |

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| No data available |
|--------------------|
| No data available. |
| |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------------------|--------------------|---------------------------------------------|-----------------|
| Ethylene Glycol 107-21-1 | = 4700 mg/kg (Rat) | = 10600 mg/kg (Rat)= 9530 µL/kg (Rabbit) | - |
| Texanol 25265-77-4 | = 3200 mg/kg (Rat) | > 15200 mg/kg (Rat) | - |
| Heavy Paraffinic Distillate 64742-54-7 | > 15 g/kg (Rat) | - | - |
| Crystalline Silica 14808-60-7 | = 500 mg/kg (Rat) | - | - |

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization Germ cell mutagenicity Carcinogenicity | No information available. No information available. No information available. | | | |
|------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|-------|------|
| Chemical Name | ACGIH | IARC | NTP | OSHA |
| Heavy Paraffinic Distillate 64742-54-7 | A2 | Group 1 | - | Х |
| Crystalline Silica 14808-60-7 | A2 | Group 1 | Known | Х |

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program) Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - PresentReproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.

 Target Organ Effects
 Central nervous system, Eyes, Respiratory system, Skin.

No information available.

Aspiration hazard

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

25.52% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|-----------------------------|---------------------------------|----------------------------------------|----------------------------------|
| Ethylene Glycol | 6500 - 13000: 96 h | 41000: 96 h Oncorhynchus mykiss | 46300: 48 h Daphnia magna mg/L |
| 107-21-1 | Pseudokirchneriella subcapitata | mg/L LC50 14 - 18: 96 h | EC50 |
| | mg/L EC50 | Oncorhynchus mykiss mL/L LC50 | |
| | | static 27540: 96 h Lepomis | |
| | | macrochirus mg/L LC50 static | |
| | | 40761: 96 h Oncorhynchus mykiss | |
| | | mg/L LC50 static 40000 - 60000: 96 | |
| | | h Pimephales promelas mg/L LC50 | |
| | | static 16000: 96 h Poecilia reticulata | |
| | | mg/L LC50 static | |
| Texanol | 18.4: 72 h Pseudokirchneriella | 30: 96 h Pimephales promelas mg/L | 95: 96 h Daphnia magna mg/L LC50 |
| 25265-77-4 | subcapitata mg/L EC50 | LC50 | |
| Heavy Paraffinic Distillate | - | 5000: 96 h Oncorhynchus mykiss | 1000: 48 h Daphnia magna mg/L |
| 64742-54-7 | | mg/L LC50 | EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical Name | Partition coefficient |
|-----------------------------|-----------------------|
| Ethylene Glycol 107-21-1 | -1.93 |
| Texanol 25265-77-4 | 3.47 |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|-------------------|
| TSCA | Complies |
| DSL/NDSL | Complies * |
| EINECS/ELINCS | Does not comply * |
| ENCS | Does not comply * |
| IECSC | Complies * |
| KECL | Complies * |
| PICCS | Complies * |
| AICS | Complies * |
| | |

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % | |
|----------------------------|-------------------------------|--|
| Ethylene Glycol - 107-21-1 | 1.0 | |

SARA 311/312 Hazard Categories

| Acute health hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-----------------|--------------------------|----------------|--------------------------|
| Ethylene Glycol | 5000 lb | - | RQ 5000 lb final RQ |
| 107-21-1 | | | RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|---------------------------------|---------------------------|
| Crystalline Silica - 14808-60-7 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------|------------|---------------|--------------|
| Calcium carbonate 1317-65-3 | Х | X | Х |
| Ethylene Glycol 107-21-1 | Х | X | Х |
| Crystalline Silica 14808-60-7 | Х | Х | Х |
| Magnesium nitrate 10377-60-3 | Х | Х | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Hazardous air pollutants (HAPS) content

LIST OF HAZARDOUS AIR POLLUTANTS SUBJECT TO THE PROVISIONS OF THE CLEAN AIR ACT, TITLE I SECTION 112 'National Emission Standards for Hazardous Air Pollutants':

| Chemical Name | Weight % of HAPS in Product | Pounds HAPS / Gal Product |
|-----------------------------|-----------------------------|---------------------------|
| Ethylene Glycol 107-21-1 | 3.27% | 0.34 |

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| <u>NFPA</u> | Health hazards 2 | Flammability 1 | Instability 0 | Physical and Chemical Properties - |
|--------------------------------------------------------------------------|--------------------|-------------------|--------------------|---------------------------------------|
| HMIS | Health hazards 2 * | Flammability 1 | Physical hazards 0 | Personal protection X |
| Chronic Hazard Star Le | egend *=Chro | nic Health Hazard | | |
| Revision Date Revision Note No information available Disclaimer | 13-May- | 2015 | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet