

SAFETY DATA SHEET

Revision Date 12-May-2015

Version 1

1. IDENTIFICATION

Product Name	Graphite	
<u>Dther means of identification</u> Product Code	99502	
SKU(s)	99500, 99502, 99503, 99504, 99505, RM9950	0-705
Recommended use of the chemic	al and restrictions on use	
Recommended Use	No information available.	
Jses advised against	No information available	
Details of the supplier of the safe Manufacturer Address	ty data sheet	
√an Sickle Paint Mfg. Co. PO Box 82222		
Lincoln, NE 68501		
Phone: 402-476-6558		
Fax: 402-476-6749		
Emergency telephone number		
Emergency Telephone	Chemtrec 1-800-424-9300	
	2. HAZARDS IDENTIFICATION	1
	2. HAZARDS IDENTIFICATION	4
OSHA Regulatory Status This chemical is considered hazardo	2. HAZARDS IDENTIFICATION	Standard (29 CFR 1910.1200)
OSHA Regulatory Status This chemical is considered hazardo Acute toxicity - Oral		
DSHA Regulatory Status This chemical is considered hazardo Acute toxicity - Oral	bus by the 2012 OSHA Hazard Communication S	tandard (29 CFR 1910.1200) Category 4
OSHA Regulatory Status This chemical is considered hazardo Acute toxicity - Oral Carcinogenicity		Standard (29 CFR 1910.1200) Category 4
DSHA Regulatory Status This chemical is considered hazardo Acute toxicity - Oral Carcinogenicity	bus by the 2012 OSHA Hazard Communication S	Standard (29 CFR 1910.1200) Category 4
OSHA Regulatory Status This chemical is considered hazardo Acute toxicity - Oral Carcinogenicity Danger Hazard statements	bus by the 2012 OSHA Hazard Communication S	Standard (29 CFR 1910.1200) Category 4
OSHA Regulatory Status This chemical is considered hazardo Acute toxicity - Oral Carcinogenicity Danger Hazard statements Harmful if swallowed	bus by the 2012 OSHA Hazard Communication S	Standard (29 CFR 1910.1200) Category 4
OSHA Regulatory Status This chemical is considered hazardo Acute toxicity - Oral Carcinogenicity Danger Hazard statements Harmful if swallowed	bus by the 2012 OSHA Hazard Communication S	Standard (29 CFR 1910.1200) Category 4
Classification OSHA Regulatory Status This chemical is considered hazardo Acute toxicity - Oral Carcinogenicity Danger Hazard statements Harmful if swallowed May cause cancer	bus by the 2012 OSHA Hazard Communication S	Standard (29 CFR 1910.1200) Category 4

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown acute toxicity

97% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Graphite	7782-42-5	60 - 100	*
Crystalline Silica	14808-60-7	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids Consult a physician.	
Skin Contact	Wash skin with soap and water.	
Inhalation	Remove to fresh air.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas.	
Environmental precautions		
Environmental precautions	See Section 12 for additional ecological information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Incompatible materials

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Graphite 7782-42-5	TWA: 2 mg/m ³ respirable fraction all forms except graphite fibers	TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural	TWA: 2.5 mg/m ³ natural respirable dust
Crystalline Silica 14808-60-7	TWA: 0.025 mg/m ³ respirable fraction	(vacated) TWA: 0.1 mg/m ³ respirable dust : (30)/(%SiO2 + 2) mg/m ³ TWA total dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust

NIOSH IDLH Immediately Dangerous to Life or Health

No information available

No information available

Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
Appropriate engineering controls	
Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ich as personal protective equipment
Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	powder powder No information available	Odor Odor threshold
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Explosive properties Oxidizing properties	ValuesNo information availableNo information availableNot applicableNo information availableNo information available	<u>Remarks • Method</u>
Other Information Softening point Molecular weight VOC Content (%) Density Bulk density Percent solids by weight Percent volatile by weight	No information available No information available No information available 18.87 lbs/gal No information available 100.0% 0.0%	

Percent solids by volume	100.0%
Actual VOC (lbs/gal)	0
Actual VOC (grams/liter)	0
EPA VOC (lbs/gal)	0
EPA VOC (grams/liter)	0
EPA VOC (lb/gal solids)	0

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Crystalline Silica	= 500 mg/kg (Rat)	-	-
14808-60-7			

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informatic No informatic No informatic	on available.		
Chemical Name	ACGIH IARC NTP OSI		OSHA	
Crystalline Silica	A2	Group 1	Known	Х
14808-60-7				
ACGIH (American Conf	erence of Governmental Ind	lustrial Hygienists)		
A2 - Suspected Human (Carcinogen			
	ency for Research on Cance	r)		
Group 1 - Carcinogenic to Humans				
NTP (National Toxicolo	gy Program)			
Known - Known Carcinog	gen			

OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present Reproductive toxicity No information available.

STOT - single exposure
STOT - repeated exposure
Target Organ Effects
ranget ergan Eneoto
Aspiration hazard

No information available. No information available. No information available. Central Vascular System (CVS), Eyes, lungs, Respiratory system. No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

12. ECOLOGICAL INFORMATION

Ecotoxicity

100% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects	No information available			
13. DISPOSAL CONSIDERATIONS				
Waste treatment methods				
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.			
Contaminated packaging	Do not reuse container.			

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION

International InventoriesTSCACompliesDSL/NDSLCompliesEINECS/ELINCSCompliesENCSDoes not complyIECSCCompliesKECLCompliesPICCSComplies

AICS

Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65			
Crystalline Silica - 14808-60-7	Carcinogen			
IIS State Pight-to-Know Pegulations				

U.S. State Right-to-Know Regulations

Γ	Chemical Name	New Jersey	Massachusetts	Pennsylvania
	Graphite 7782-42-5	Х	X	Х
	Crystalline Silica 14808-60-7	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

HMIS

Health hazards 1

Health hazards 1*

Flammability 0

Flammability 0

Instability 0 Physical hazards 0 Physical and Chemical Properties -Personal protection X

Chronic Hazard Star Legend

Revision Date Revision Note No information available * = Chronic Health Hazard

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet